




1



2



3

Waste Determinations

✓ VSQG; SQG; LQG



- All generators of solid waste are required to make an accurate determination as to whether their waste is hazardous
- Characterizing waste is a tough requirement. EPA has tightened up certain requirements and revealed an estimated 20-30% incorrect waste determinations were being made.







Department of Environmental Quality

4




Regulatory Status of Discarded Materials from a Manufacturing Plant


5

Waste Determinations

To determine your generator category, count all waste generated in a calendar month:

<p>Very Small Quantity Generator (VSQG)</p>  <p>1 Drum or 27 Gal. Or 220 lbs. Or 100 Kg.</p>	<p>Small Quantity Generator (SQG)</p>  <p>1/2 to 5 Drums or 27-275 Gal. Or 220-2200 lbs. Or 100-1000 Kg.</p>	<p>Large Quantity Generator (LQG)</p>  <p>>5 Drums or >275 Gal. or >2200 lbs. or >1000 Kg.</p>
--	--	--

Key: 55 Gallon Drum = 440 lbs. = 200 Kg.




Department of Environmental Quality

6

What is a Hazardous Waste?

Solid waste with properties that make it dangerous or capable of having a harmful effect on human health or the environment.

- A material must be considered a solid waste before it can be determined to be a hazardous waste. Any facility that generates a solid waste must determine if their waste is hazardous as required by 40 CFR 262.11
- A waste is a material that has been used or has otherwise served its intended purpose and, for whatever reason (e.g. contamination, spent) can or will no longer be used for its intended purpose
- **It is important to note that the definition of solid waste is not limited to wastes that are physically solid. Many solid wastes are liquid, semi-solid, or contained gaseous material**




7

Definition of Hazardous Waste
40 CFR 261.3

A solid waste is hazardous waste if it is not excluded from regulation as a hazardous waste under 261.4(b) and it meets any of the following conditions:

- Exhibits a characteristic of a hazardous waste
- Has been named as a hazardous waste and listed as such in the regulation
- Is a mixture containing a listed waste and a solid waste
- Is a waste derived from the treatment, storage, or disposal of a hazardous waste

Key Thought: Before mixing hazardous waste with other wastes, consider the treatment and dilution implications.




8

Two Types of Hazardous Waste

Acute hazardous waste – hazardous wastes that meet the listing criteria in 261.11(a)(2) and therefore are either listed in 261.31 of this chapter with the assigned hazard code of (H) or are listed in 261.33(e) of this chapter.

Non-acute hazardous waste – all hazardous waste that are not acute hazardous waste.



9



10

Waste Determinations

They are four "Pillars" that support any hazardous waste determination. We will be presenting the basic four key thought during this presentation.

11

Waste Determinations


VSQG; SQG; LQG

KEY THOUGHT:
Always ask the "four questions" when making a hazardous waste determination.

1. Is it a solid waste?	(40 CFR 261.2)
2. Is it exempt (exclusion)?	(40 CFR 261.4)
3. Is it listed?	(40 CFR 261.30)
4. Is it characteristic?	(40 CFR 261.20)


Department of Environmental Quality

12




13

What is a Solid Waste? 40 CFR 261.2




NCDEQ/HWS Photo Library

- The primary criterion that must be met for a material to be a waste is that it is discarded:
 - Garbage, residue, sludge
 - Material abandoned, thrown away
 - Spent material, used for its intended purpose
 - Incidental residue
 - Sham recycled



14

Sham Recycling 40 CFR 261.2(b)(4)




Recycling must be legitimate: All recycling conducted under RCRA must be legitimate. The four legitimacy factors are:

- Factor 1: Materials must provide a useful contribution to the recycling process or to a product or intermediate.
 - (40 CFR 260.43(a)(1))
- Factor 2: Recycling must produce a valuable product or intermediate.
 - (40 CFR 260.43(a)(2))
- Factor 3: Materials must be managed as valuable commodities.
 - (40 CFR 260.43(a)(3))
- Factor 4: Products of recycling don't contain significant concentrations of hazardous constituents.
 - (40 CFR 260.43(b))

Sham recycling is basically deceptive or trick recycling.

Department of Environmental Quality




15

RC1

Sham Recycling

Key Thought:
Materials that are recycled may still be subject to the RCRA program



Source: Hickory Daily Record Courier May 2020


16

*Inherently Waste-Like Material** (40 CFR 261.2 (d))

These are materials that are so hazardous they pose a substantial threat to human health and the environment even when recycled.

- Dioxin wastes with listed waste codes (F020, F021, F022, F023, F026, F028)
 - We don't know of anyone in USA who is recycling dioxin waste.
- Halogen-containing materials that are burned in halogen-acid furnaces
 - Certain facilities will burn materials that contain high concentrations of chlorinated or brominated compounds to produce products (e.g. HCl)

*These materials are solid wastes, even when they are recycled




17

Example of How Solid Waste are Identified

Case study #1:
Unused benzene from a delivery truck spills on the ground and the facility owner decides not to clean up the spill.

Question:
What is the status of the spilled benzene?



18

Answer to Question #1


If the owner decides not to clean up the spill, he/she has made the decision to "discard" the benzene. A discarded material is a **solid waste**.

If the owner does not "promptly" clean up the spill, it is considered a land disposal site subject to permitting requirements.



19

Hazardous Waste Determination



20

**Hazardous Waste Exclusions
40 CFR 261.4**

40 CFR 261.4 has three sections that exclude or exempt certain secondary materials from being either a solid waste or HW

40 CFR 261.4(a) identifies materials that are not solid waste

40 CFR 261.4(b) identifies solid waste that are not HW

40 CFR 261.4(c) identifies HW which are exempted from certain regulations until the HW exits the unit(s) in which it was generated

Department of Environmental Quality



21

Hazardous Waste Exclusions
40 CFR 261.4

Examples:


- **Clean Water Act** §261.4(a)(1)
 - Domestic sewage; NPDES Permit; Stormwater Permit; U.S. Army Corps of Engineers.
- **Clean Air Act** §50-94
- **Hazardous Secondary Material** being reclaimed §261.4(a)(20)
- **Shredded Circuit Boards** §261.4(a)(14)
- **Used Cathode Ray Tubes (CRT's)** §261.4(a)(22)

22


Solid Waste Exclusions that *NOT* Hazardous Waste
40 CFR 261.4(b)

Examples:

- **Household Waste** §261.4(b)(1)
- **Solvent Contaminated Wipes** 261.4(b)(18)(i)
- **Boiler Cleaning Solutions** §261.4(b)(4)(ii)(8)
- **Cooling Tower Blowdown** §261.4(b)(4)(ii)(E)
- **Coal Pile Run-Off** §261.4(b)(4)(ii)(A)



NCDEQHWS Photo Library




Department of Environmental Quality

23

Exemptions
Hazardous wastes *exempted* from certain regulations
40 CFR 261.4(c)

Examples:

- **Analytical samples** §261.4(d)(1)
- **Airbag Waste** §261.4(j)(i)
- **Dredged Material** §261.4(g)
- **Spent lead acid batteries that will be reclaimed** §261.6(a)(2)(iv)
- **Hazardous scrap metal that will be recycled** §261.6(a)(2)(iii)




NCDEQ W&E Photo Library

24

Is it Excluded?

- Domestic sewage and mixtures of domestic sewage (261.4(a)(1))
- Industrial point source discharges (261.4(a)(2))
- Irrigation return flows (261.4(a)(3))
- Certain radioactive secondary materials (261.4(a)(4))
- In-situ mining materials (261.4(a)(5))
- Pulping liquors (261.4(a)(6))
- Spent sulfuric acid (261.4(a)(7))
- Secondary materials reclaimed in a closed-loop process in tanks (261.4(a)(8))
- Spent wood preservatives (261.4(a)(9))
- Coke by-product wastes (261.4(a)(10))
- Splash condenser residues (261.4(a)(11))
- Oil-bearing hazardous secondary materials generated and recycled within the petroleum refining industry (261.4(a)(12))
- Excluded scrap metal (261.4(a)(13))
- Shredded circuit boards ((261.4(a)(14))
- Pulping condensates derived from Kraft mill steam strippers (261.4(a)(15))
- Mineral processing spent materials being recycled (261.4(a)(17))
- Petrochemical recovered oil (261.4(a)(18))
- Spent caustic solutions from petroleum refining (261.4(a)(19))
- Hazardous secondary materials used to make zinc fertilizers (261.4(a)(20))
- Zinc fertilizers made from hazardous secondary materials (261.4(a)(21))
- Used cathode ray tubes (CRTs) (261.4(a)(22))
- Hazardous secondary materials generated and reclaimed under the control of the generator (261.4(a)(23))
- Hazardous secondary materials transferred for the purpose of reclamation (261.4(a)(24)and(25))
- Solvent-contaminated wipes that are sent for cleaning and reuse. (261.4(a)(26))
- Higher-value solvents transferred for the purpose of remanufacturing (261.4(a)(27)




25

Example of Exemptions / Exclusions

Case study #2:



If a laboratory disposes excess sample originally received from a sample collector and the excess sample exhibits a hazardous characteristic, who is the generator of the hazardous waste?



26

Answer to Question #2

The laboratory is the generator, and the waste must be managed and disposed just like any other hazardous waste.






27

Example of Exemptions / Exclusions

Case study #3:



Would metal wire, pellets, pins, and powder with high concentration of lead enjoy the scrap metal exemption when recycled?

28

Answer to Question #3

Scrap metal wire, pellets, pins, and powder meet the definition of scrap metal and would not be subject to RCRA regulation when recycled.





29

Hazardous Waste Determination

```

    graph TD
      Q1[Is it a solid waste?] -- No --> A[Not subject to RCRA Subtitle C]
      Q1 -- Yes --> Q2[Is it an excluded waste?]
      Q2 -- Yes --> A
      Q2 -- No --> Q3[Does it meet a listing description?]
      Q3 -- Yes --> B[Waste is hazardous and subject to Subtitle C regulation]
      Q3 -- No --> Q4[Does it exhibit a characteristic?]
      Q4 -- Yes --> B
      Q4 -- No --> A
  
```





30

Listed Hazardous Waste

A waste is determined to be a hazardous waste if it is specifically listed on one of four lists (the F, K, P and U lists) found in title 40 of the Code of Federal Regulations (CFR) in section 261.

- Generated from specific industrial sources
- Chemicals considered “acute” hazardous wastes (P-Listed or F-listed with a (H) hazard code)
- Chemicals considered “toxic” hazardous wastes
- Determination is based on knowledge, not testing





31

Listed Hazardous Waste

There are four separate lists of hazardous waste

- F-list: Process waste from non-specific common sources §261.31
- K-list: Process waste from specific sources §261.32
- P-list: Unused Acutely hazardous chemicals §261.33
- U-list: Unused toxic chemicals §261.33



32


Listed Hazardous Waste

Hazard Codes Represent EPA's Basis for Listings 40 CFR 261.30(b)

- Ignitable waste – (I)
- Corrosive waste – (C)
- Reactive waste – (R)
- Toxicity characteristic waste – (E)
- Acute hazardous waste – (H)
- Toxic waste – (T)

Key Thought:
You must have knowledge of the waste or the process that generated it to assign listed codes

To indicate its reason for listing a waste, EPA assigns a hazard code to each waste listed on the F and K list.




33

F – Listed Waste §261.31

Seven groups make up the F list:

- Spent solvent wastes (F001-F005)
- Heavy metal and cyanide wastes plating waste (F006-F012, F019)
- Dioxin-containing wastes (F020-F023, F026-F028)
- Chlorinated aliphatic hydrocarbons production wastes (F024)
- Wood preserving wastes (F032-F035)
- Petroleum refinery wastewater treatment sludges (F037 and F038)
- Multi-source leachate (F039)




34

F – Listed Waste §261.31

The F001 – F005 Listings

Only apply if a before-use concentration threshold is exceeded
 For mixtures of F001, F002, F004, and F005:


- If the total of all solvent constituents before use, is greater than or equal to 10 percent by volume, all appropriate listings apply to the spent solvent



35

Common Spent Solvent Issues

- Solvent must be used to solubilize or mobilize
- Cleaning
- Degreasing
- Diluents
- Reaction and synthesis media
- Still bottoms from recycling spent solvents
- Solvent chemicals used as reactants or ingredients
- Process waste from liquid-liquid extraction
- Rinsewater following solvent cleaning



36

Example of F-Listed Waste

Case Study # 4

What is the regulatory status of spent solvent generated from using the solvent identified in the following SDS?

Name	CAS Number	[%]
Solvent petroleum	64742-89-8	45
Benzene, dimethyl,	1330-20-7	22.5
Benzene, methyl,	108-88-3	22.5
Acetic Acid	64-19-7	10



37

Answer to Question # 4

- In chemical nomenclature, the IUPAC nomenclature of organic chemistry is a method of organic chemical compounds as recommended by the International Union of Pure and Applied Chemistry.
- Benzene, dimethyl- is a synonym for xylene (on the F003 list), and Benzene, methyl- is a synonym for toluene (on the F005 list).
- Based on the F003 and F005 listing descriptions in §261.31, the spent solvent is a **F003, F005 listed Hazardous Waste**.
- Moral of the story: Environmental personnel need to get familiar with how to use Chemical Abstracts Service (CAS) number and chemical nomenclature.

A useful web site that will help with this is call **List of Lists**, available at:

<http://www.epa.gov/epca/consolidated-list-lists>




38

Example of F-Listed Waste

Case Study # 5

A product is used as a machining coolant during metal machining, drilling, etc. The coolant contains 80% 1,1,1-trichloroethane and 20% lubricating oil. What is the RCRA status of the coolant waste.





39

Answer to Question # 5

- The 1,1,1-trichloroethane is being used as an ingredient in product cutting oil...**not a solvent**. Assuming that it has not been mixed with **spent solvent**, the cutting-oil waste is neither F001 nor F002...


- How do I managed the waste?
 - Used Oil Management Rules §279
 - Used oil
- If it does not pass the halogen field testing kit used by the Used Oil Processing Facility
 - It has to be dispose as a Hazardous Waste under the D040 waste code if it exceeds a TCLP value of 0.5 mg/l
- How do I managed a spill of the product?
 - Listed Hazardous Waste from Unused Toxic Chemicals §261.33
 - 1,1,1-trichloroethane waste code U-226






40

K-Listed Waste From a Specific Source



- Wood Preservation
- Iron & Steel
- Explosives
- Veterinary Pharmaceuticals
- Organic & Inorganic Chemicals
- Coking
- Ink formulation


K-Waste is listed in §261.32 are known to result from specific manufacturing processes and are identified according to the industry that generates them. The listing descriptions associated with K-waste are very specific, clear, and self-explanatory.



41

P and U-Listed Waste §261.33

- Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof of **unused product**.
- P-listed waste** are unused product or chemicals that are intended for discard and are **acutely hazardous** with a Hazard Code of (H).
 - Ignitable waste (I)
 - Reactive Waste (R)
 - Corrosive Waste (C)
- U-listed waste** are unused product or chemicals that are intended for discard and are non-acutely hazardous waste, but toxic with a Hazard Code that can varied.



42


Key Thought: Listed in—listed out...

Delisting Petition


If the waste is listed, the person may file a delisting petition under 15A NCAC 02I .0501 and 40 CFR 260.22 to demonstrate the waste from this particular site or operation is not a hazardous waste.

- VSQG
- SQG
- LQG

- Waste analysis plan
- Need at least 5 to 7 rounds of sampling (quarterly)
- All Underline Hazardous Constituents must be included
 - Appendix VIII (40 CFR 261, ~ 239 compounds)



43




44

Hazardous Waste Determination

40 CFR 262.11(d)

(Redefined)

- Acceptable knowledge may include:
 - process knowledge (e.g., information about chemical feedstocks and other inputs to the production process)
 - knowledge of products, by-products, and intermediates produced by the manufacturing process
 - chemical or physical characterization of wastes
 - information on the chemical and physical properties of the chemicals used or produced by the process or otherwise contained in the waste
 - testing that illustrates the properties of the waste
 - other reliable and relevant information about the properties of the waste or its constituents





45

Point of Generation
40 CFR 262.11(a)

For each solid waste, the waste determination is made:

- At the **point of generation**, before dilution, mixing or other alteration of the waste occur.
- AND at any time in the course of management that the waste has, or may have, changed its properties as a result of exposure to the environment or other factors that may change the properties of the waste such that the RCRA classification of the waste may change


➤ The "point of generation" refers to the location where wastes initially accumulate and is under the control of the operator of the waste-generating process...

46

Point of Generation Examples




- For wastewater generated in a pulp and paper mill bleach plant...
 - At the outlet of the plant prior mixing with other wastewater streams.
- For solvents used in parts washers...
 - When the part washer apparatus is removed from the container.
- For baghouse dust generated from a manufacturing operation...
 - When the waste is removed from the baghouse hoppers.
- For P- or U-listed chemicals...
 - When they are intended to be discarded...
- For waste filter cake being placed into a roll-off box, on the conveyor belt...
 - As the waste enters the roll-off box.



47

Point of Generation Example Remediation Sites


- For contaminated soil or ground water...
 - When the soil is excavated, or the ground water is pumped out of the ground.


48

Point of Generation RCRA Organic Emission Standards

- For RCRA Organic Air Emissions Standards Part AA/BB/CC)
 - TCLP analysis is **NOT** used for waste determination, Volatile Organic Concentrations in the waste stream use Air Method 25D
 - **Point of Origination**
 - The **point** of waste **origination** means the **point** where a solid waste produced by a system, process, or waste management unit is determined to be a **hazardous waste** as defined in 40 CFR part 261



NCEOHWS Photo Library





49

Characteristic Hazardous Waste

- Ignitability Waste D001
- Corrosive Waste D002
- Reactive Waste D003
- Toxic Waste D004-D043

} ICR Parameters
 → Toxicity Parameters

Key Thought:
A waste is characteristic if it exhibits a generic property independent of its source.

50

Waste codes listed in 40 CFR 261.24 for Toxic Chemicals of Concern

TCLP Metals and Volatile Organic Compounds, Pesticides, Semi-Volatile Organic Compounds and Herbicides			
Metals		Volatile Organic Compounds	
Contaminant	EPA HW #	Contaminant	EPA HW #
Arsenic	D004	Benzene	D018
Barium	D005	Carbon tetrachloride	D019
Cadmium	D006	Chlorobenzene	D021
Chromium	D007	Chloroform	D022
Lead	D008	1,2-Dichloroethane	D028
Mercury	D009	1,1-Dichloroethylene	D029
Strontium	D010	Methyl ethyl ketone	D035
Silver	D011	Tetrachloroethylene	D039
		Trichloroethylene	D040
		Vinyl chloride	D043
Pesticides		Semi-Volatile Organic Compounds	
Contaminant	EPA HW #	Contaminant	EPA HW #
Chlordane	D020	o-Cresol	D023
Dieldrin	D012	m-Cresol	D024
Heptachlor (and its isomers)	D031	p-Cresol	D025
Lindane	D013	Cresol	D026
Methoxychlor	D014	1,4-Dichlorobenzene	D027
Toxaphene	D015	2,4-Dinitrotoluene	D030
		Hexachlorobenzene	D032
		Hexachlorocyclopentadiene	D033
		Hexachloroethane	D034
		Nitrobenzene	D036
		penta-chlorophenol	D037
Herbicides		Pesticides	
Contaminant	EPA HW #	Contaminant	EPA HW #
2,4-D	D016	Pyridine	D038
2,4,5-TP (Given)	D017	2,4,5-Trichlorophenol	D041
		2,4,6-Trichlorophenol	D042

51

Hazardous Waste Determination 40 CFR 262.11(d)(1)

Toxicity Characteristic Leaching Procedure

Acetic acid
20 g solid sample weight
Sample (solid)
TCLP Extraction
Analytical results (reported as mg/L)

➤ A test other than a test method set forth in subpart C of 40 CFR part 261, or an equivalent test method approved by the Hazardous Waste Section under 40 CFR 260.21, may be used as part of the person's knowledge to determine whether a solid waste exhibits a characteristic of hazardous waste.

52

Ignitability / D001 40 CFR 261.21

Old Definition	New Definition September 2020
<ul style="list-style-type: none"> ➤ Liquid other than an aqueous solution containing less than 24 percent alcohol by volume and has flash point less than 60 °C (140 °F) ➤ Liquid identified by paint filter test or pressure filtration ➤ Solid that burns vigorously due to friction, moisture absorption, or spontaneous ignition ➤ Ignitable compressed gas ➤ Oxidizer or organic peroxide 	<ul style="list-style-type: none"> ➤ Liquid, other than a solution containing less than 24 percent alcohol by volume and at least 50 percent water by weight, that has a flash point less than 60 °C (140 °F) <p style="text-align: center;"><i>(redefined)</i></p>

53

Corrosivity / D002 40 CFR 261.22

- Aqueous with a pH ≤ 2 or ≥ 12.5
 - Aqueous means at least 20% water by volume
 - If less the 20% aqueous, use next method
- A liquid and corrodes carbon steel at a rate >0.25 in/yr.

54

Reactivity / D003
40 CFR 261.23

- Normally unstable and readily undergoes violent change w/o detonating
- Reacts violently with water
- Forms potentially explosive mixtures with water
- Generates toxic gases when mixed with water
- Cyanide or sulfide bearing waste that can generate toxic gases
- Forbidden explosive per DOT regulations
- No test methods available for determining reactivity

Interested parties can contact EPA's National Enforcement Investigation Center (NEIC) at 303-462-9000.

55

Reactivity / D003
40 CFR 261.23

D003 Reactive Waste	D003 Reactive Waste
Aluminum alkyls	Sodium
Ammonium Fulminate	Sodium-potassium alloy
Gold cyanide	Sodium sulfide
Lead azide	Silver cyanide
Lithium	Silver picrate (dry)
Nitroglycerine	Trinitrotoluene
Potassium sulfide	White Phosphorous
Pentaerythrite tetranitrate	Zinc Powder

56

Toxicity / D004-D043
40 CFR 261.24

Wastes that are hazardous due to the toxicity characteristic are harmful when ingested or absorbed. Toxic wastes present a concern as they may be able to leach from waste and pollute groundwater.

57

Toxicity / D004-D043 40 CFR 261.24

- Based on Toxicity Characteristic Leaching Procedure (TCLP)
- It simulates the processes that would occur in a landfill if industrial waste are co-disposed with other types of waste
- A sample of waste is mixed with twenty times the sample weight of acetic acid and the resulting mixture is then agitated for 18 hours
- Extract leachate with an acid
- At the end of the agitation period, the acidic liquid phase, call the extract is analyzed
- If any of the 40 constituents are present above the regulatory level of slide 51 of this presentation, the waste is a hazardous waste, and it carries the waste code associated with that constituent.

58

Toxicity / D004-D043 40 CFR 261.24

- What about liquid wastes.
 - Liquid waste is filter (<0.5% filterable solids)
 - Analyze for total concentration of toxic characteristic parameter
 - Compare results directly to regulatory levels
 - If any of the 40 constituents are present above the regulatory level of slide 51 of this presentation, the waste is a hazardous waste and it carries the waste code associated with that constituent.

59

Hazardous Waste Determination



```

    graph TD
      Q1[Is it a solid waste?] -- No --> A[Not subject to RCRA Subtitle C]
      Q1 -- Yes --> Q2[Is it an excluded waste?]
      Q2 -- Yes --> A
      Q2 -- No --> Q3[Does it meet a listing description?]
      Q3 -- Yes --> B[Waste is hazardous and subject to Subtitle C regulation]
      Q3 -- Yes/No --> Q4[Does it exhibit a characteristic?]
      Q4 -- Yes --> B
      Q4 -- No --> A
    
```

60

Other Contaminants to Be Aware of



- Polychlorinated Biphenyl PCB's are regulated under Toxic Substances Control Act (TSCA) of 1976. EPA Region 4 regulates PCB's in North Carolina.
- Asbestos are regulated under TSCA and North Carolina Department Health and Human Services.
- Emerging Contaminants, e.g. per and poly-fluoroalkyl substances (PFAS)
 - Ms. Amy Delinsky, PhD. Env. Chemist, 919.896.1505
 - Mr. Mark Webb, Env. Specialist, 984.459.0084

61

Emerging Contaminants PFAS

- PFAS Substances:
 - More than 25,000 compounds
 - Compounds that repel water, stains and grease.
 - Wide variety of chemical structures
 - Chain of aliphatic organic compound surrounded by fluorine atoms
 - Used in homes, businesses, and industry since the 1940
 - Detected in soil, water, fish and air samples
 - Resist decomposition in the environment and in the human body

62

Emerging Contaminants PFAS


Targeting the mayor five (5) types of industries that intersect Water, Waste and Air.



63

Emerging Contaminants PFAS



- North Carolina is ahead of all EPA regions (10) related with studies conducted over PFAS compounds.
- Besides the TCLP waste determination, the HW Section may required testing waste for PFAS compounds
 - EPA method 537.1; ~18 compounds
 - EPA method 1633; ~40 compounds
- Health advisory levels (HALs): June 2022 EPA releases drinking water
 - PFOA: .004 ppt (interim)
 - PFOS: .02 ppt (interim)
 - GenX: 10 ppt (final)
 - PFBS: 2,000 ppt (final)




64

Emerging Contaminants PFAS

- PFOA... what does that stand for?
 - P = Per
 - F = Fluorine
 - O = Oct in organic chemistry is 8
 - A = Acidic organic radical
 - Perfluorooctanoic acid
- PFOS...
 - P = Per
 - F = Fluorine
 - O = Oct in organic chemistry is 8
 - S = Sulfonic organic radical
 - Perfluorooctanesulfonic acid



65

Example of Characteristic Waste

Case Study # 6

A waste mixture has a flash point of 120° F and TCLP results showing the following data:


Parameter	Concentration	TCLP regulatory limit
Ignitability	120° F	<140° F
Cadmium	0.7 mg/l	1.0 mg/l
Chromium	8.1 mg/l	5.0 mg/l
Lead	5.1 mg/l	5.0 mg/l

THIS CONTAINER
DO NOT HOLD
PENDING ANALYSIS

DO NOT TAMPER WITH CONTAINER
AND/OR OTHER INFORMATION ONLY

What is the regulatory status of the mixture when sent for incineration?

Reminder: Compliance with HW requirements must occur beginning at the point of generation. Not when test results come back




66

Answer to Question # 6

☞ The regulation in §261.24 state that the toxicity characteristic applies if “ the extract from a representative sample of the waste contains any of the contaminants listed in the table of slide 57 of this presentation

Parameter	Concentration	TCLP regulatory limit	Waste Code
Ignitability	120° F	<140° F	D001
Cadmium	0.7 mg/l	1.0 mg/l	Non-HW
Chromium	8.1 mg/l	5.0 mg/l	D007
Lead	5.1 mg/l	5.0 mg/l	D008




67

Example of Characteristic Waste

Case Study # 7
 Due to a very difficult matrix sample and due to analytical interference to run a TCLP, leachate value (mg/l) for the parameter of chromium concentration.
 The laboratory was able to analyze for total chromium, total value (mg/kg).
 The result came out to be 80 mg/kg.

Is the waste hazardous?



68


Answer to Question # 7

The waste will **not** be a hazardous waste for chromium...

- Sample must be 100% solid matrix
- 80 mg/kg / 20 = 4 mg/l

→ MTLC: Maximum Theoretical Leachate Concentration



- 5.0 mg/l us the TCLP regulatory level for Cr
- The waste is not a hazardous waste.



69

Unknown Waste

➤How do I manage a waste that I have no knowledge how it was generated?



NCDEQ/HWS Photo Library

70

Unknown Waste

➤A hazardous waste determination per 40 CFR 262.11 must be performed using representative samples of each container of unknown materials; using EPA approved test methods to determine if they exhibit any of the following hazardous waste characteristics:


- Ignitability (40 CFR 261.21) Oxidizers per 40 CFR 261.21(a)(4)
- Corrosivity (40 CFR 261.22)
- Reactivity (40 CFR 261.23)
- Toxicity (40 CFR 261.24): Run a TCLP for all 40 constituents listed in 40 CFR 261.24. This includes RCRA metals, pesticides, herbicides, volatile organics, and semi volatile organics.
- Tentatively Identified Compounds: The ten (10) highest results under volatile and semi-volatile organics compounds should be submitted (only for spills)

71

Waste Determination Issues 2023 (A)


- During a CEI, waste analysis records were requested for a container that has oily rags.
- The facility did not have any records.
- A TNOV was issue for not having an accurate waste determination.
- Facility sends a sample for TCLP analytical.
 - Sample pass, but almost trigger the parameter of tetrachloroethylene (0.7 mg/l).
- Tetrachloroethylene was used as a solvent.
 - Oily rags contaminated with used solvent (F002).
 - For the past 3-years oily rags were dispose from the facility as non-hazardous waste
- Used Oil container was contaminated also with F002.
 - For the past 3-years used oil was managed improperly.
 - Including the oily rags and used oil containers that should have been remove as F002, the facility category went from SQG to LQG.




72

Waste Determination Issues 2023 (B)


- During a CEI, waste analysis records were requested for a waste stream that was being disposed as **Non-RCRA Regulated Material**
- Facility indicated that the TSDF did the waste determination for them based on the SDS
- Copy of the SDS was requested
 - **SDS indicated "Trade Secret" concentration of 50%, unknown acute toxicity or mixture consists of ingredients of unknown toxicity**
- A TNOV was issued for not having an accurate waste determination.
- Facility sends a sample for TCLP analytical.
- The results confirmed that the waste is non-hazardous.



73



74



75


Bibliography

➤ **Books:**

- Crowell & Moring LLP, (2001), *RCRA Hazardous Waste Handbook*, Rockville, Maryland: Government Institutes
- McCoy's & Associates, (2020), *McCoy's RCRA Reference*. Lakewood, Colorado: McCoy Society
- McCoy's & Associates, (2020), *McCoy's RCRA Unraveled*. Lakewood, Colorado: McCoy Society
- Walter, B., McCarty, H., Smith, R. (1996), *Environmental Laboratory Data Evaluation*, Douglasville, Georgia: Gentium Publishing Corporation
- Woodside, Gayle, (2009). *Hazardous Materials and Hazardous Waste Management*, Austin, Texas: John Wiley & Sons

➤ **Websites:**

- Photos & Diagrams:
 - Retrieved from URL: <https://www.google.com/search?q=hazardous+waste+photos&btm...>
- Regulations:
 - Retrieved from URL: https://www.ecfr.gov/cgi-bin/text-idx?node=pt40.26.261#se40.26.261_14



76



Questions?

77