

NORTH CAROLINA DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WASTE MANAGEMENT HAZARDOUS WASTE SECTION

HAZARDOUS WASTE SECTION EASTERN COMPLIANCE BRANCH

Dan Girdner, Environmental Specialist II

Daniel.girdner@deq.nc.gov 919-621-7747



2

What will be covered?

- ➤ Hazardous Waste Counting
- ≻Mixture Rule: Mixing HW with Solid Waste
- ➤ Recycling:
 - Use or Reuse
 - Reclamation
 - · Hazardous Secondary Materials







Hazardous Waste Counting

A waste generator must count all of the hazardous wastes generated during each <u>calendar month</u> which are <u>managed in RCRA regulated units</u>.

- Containers & Tanks are regulated units.
- Distillation units are **not** regulated units.







5

Hazardous Waste Counting

Count hazardous waste that is accumulating:

- In tanks.
- In central accumulation area containers.
- In satellite accumulation area containers.
- Onsite prior to recycling, treatment, or disposal.



Hazardous Waste Counting

Count hazardous waste that was generated and:

- · Packaged and Transported off site.
- Placed directly into an RCRA-regulated treatment, or disposal unit



7

Hazardous Waste Counting

Avoid double-counting your waste.

Do not count,

- Hazardous waste that was transported offsite, if it was previously counted once.
- A full satellite area hazardous waste container later moved to a central accumulation within 72 hours if already counted once.
- Spent materials that are generated, reclaimed and reused onsite as long as the spent materials have been counted once in a calendar month.



8

Hazardous Waste Counting

Avoid double-counting your waste.

Do not count

 Produced from onsite treatment of hazardous waste, as long as the hazardous waste was counted before treatment.



Hazardous Waste Counting

What about Acutely Hazardous Wastes?

- Count Acute Hazardous Wastes generated per month separately from the Non-acute Hazardous Wastes.
- Acute Hazardous Waste generated greater than 1 kg (2.2 lbs.) a month counts as a LQG amount.



≥ 2.2 lbs. = LQG



10

Hazardous Waste Counting – 40 CFR 262.13(c) The Quantity of Wastes Generated in a Month Determines Category

| Quantity of <u>acute</u> hazardous waste generated in a calendar month | Quantity of <u>non-acute</u> hazardous waste generated in a calendar month | Quantity of <u>residues</u> from a cleanup of <u>acute</u> hazardous waste generated in a calendar month | Generator category |
|--|--|--|--------------------|
| > 1 kg | Any amount | Any amount | LQG |
| Any amount | ≥ 1,000 kg | Any amount | LQG |
| Any amount | Any amount | > 100 kg | LQG |
| ≤ 1 kg | > 100 kg and < 1,000 kg | ≤ 100 kg | SQG |
| ≤ 1 kg | ≤ 100 kg | ≤ 100 kg | VSQG |
| 11 | | | |

11

Hazardous Waste Counting 40 CFR 262.13(c)



Do NOT count waste exempt under 40 CFR 261.4(c)-(f)

(c) Hazardous waste generated in a product or raw material storage tank, vessel, pipeline etc...until it exits the unit in which it was generated or 90-days after the unit ceases operating



Hazardous Waste Counting

Do NOT count waste exempt under 40 CFR 261.4(c)-(f)

- (d) Samples.
- (e) Treatability Study Samples.
- (f) Samples at Labs and Testing Facilities Undergoing Treatability Studies.



13

Hazardous Waste Counting 40 CFR 262.13(c)



Do NOT count hazardous waste that is:

- Managed *immediately* upon generation (260.10) only
 - On-site elementary neutralization units,
 - · Wastewater treatment units,
 - · Totally enclosed (closed-loop) treatment facilities



14

Hazardous Waste Counting 40 CFR 262.13(c)






Do NOT count hazardous waste:



IF it is recycled material that is **not** accumulated on site prior to recycling.









Hazardous Waste Counting 40 CFR 262.13(e) Based on the generator category, the generator must meet the applicable independent requirements listed in §262.10. A generator's category also determines which of the provisions of §8262.14, 262.15, 262.16 or 262.17 must be met to obtain an exemption from the storage facility permit, interim status, and operating requirements when accumulating hazardous waste.

19

Condition for Exemption 40 CFR 262.1



- Any requirement in §§262.14, 262.15, 262.16, 262.17, 262.70, or subpart K or subpart L of 262
- That states an event, action, or standard that must occur or be met
- In order to obtain an exemption from any applicable requirement in parts 124, 264 through 268, and 270 of this chapter, or from any requirement for notification under section 3010 of RCRA.

DEQ

20

Independent Requirement 40 CFR 262.1



- A requirement of part 262
- That states an event, action, or standard that must occur or be met;
- And that applies without relation to, or irrespective of, the purpose
 of obtaining a conditional exemption from storage facility permit, interim
 status, and operating requirements under §§262.14, 262.15, 262.16,
 262.17, or subpart K or subpart L of this part.



Mixing HW with Solid Wastes 40 CFR 262.13(f)(1)(i)



- HW generated by a VSQG may be mixed with solid wastes
- VSQG <u>may</u> mix a portion or all of its HW with solid waste and remain subject to 262.14 even though the resultant mixture exceeds the quantity limits identified in the definition of a VSQG in 260.10 <u>unless</u> the mixture exhibits one or more of the characteristics of HW identified in 261 subpart C.



23

Mixing HW with Solid Wastes 40 CFR 262.13(f)(1)(ii)



- If the resulting mixture exhibits a characteristic of HW, this resultant mixture is a newly-generated HW.
- The VSQG must count both the resultant mixture amount plus the other HW generated in the calendar month to determine whether the total quantity exceeds the VSQG limit for the calendar month
 - The VSQG must meet requirements for SQG or LQG if the VSQG HW amount is exceeded due to the resultant mixture



Hazardous Solid waste + Still Characteristic Waste Characteristic hazardous Not Solid Characteristic waste Waste Hazardous Solid waste + Still Characteristic Waste Listed waste Not Solid Characteristic Waste DEQ

25

Mixing HW with Solid Wastes 40 CFR 262.13(f)(1)(iii)



- If a VSQG's wastes are mixed with used oil, the mixture is subject to 40 CFR 279 (used oil management requirements)
- Any material produced from such a mixture by processing, blending, or other treatment is also regulated under 40 CFR 279

DEQ

26

Mixing HW with Solid Wastes 40 CFR 262.13(f)(2)(i)



- HW generated by a <u>SQG or LQG</u> may be mixed with solid waste Mixtures are subject to the following:
 - Mixture Rule: 40 CFR 261.3(a)(2)(iv), (b)(2) and (3), and (g)(2)(i);
 - Prohibition on Dilution Rule: 40 CFR 268.3(a);
 - <u>Land Disposal Restriction</u> Requirements: 40 CFR 268.40 (Treatment Standards)
 - Hazardous Waste Determination: 40 CFR 262.11

Mixing HW with Solid Wastes 40 CFR 262.13(f)(2)(ii)



- If the resultant mixture is found to be a HW, this resultant mixture is a newly-generated HW.
- Must count both the resultant mixture amount plus the other HW generated in the calendar month to determine whether the total quantity exceeds the SQG limit for the calendar month
 - The SQG must meet requirements for LQG if the SQG HW amount is exceeded due to the resultant mixture



28


M SQG M LQG Hazardous Waste Mixture Rule Hazardous Still Characteristic -Solid waste + Characteristic hazardous Not Solid Characteristic waste Waste Solid waste + Hazardous Waste Listed waste Solid waste + hazardous waste Hazardous Still Characteristic <u>Listed</u> solely for Waste characteristic Not Characteristic Solid (ICR-only, e.g., F003) Waste DEQ

29

Mixing, Diluting and Alteration of the Waste – Points to Remember



- Hazardous wastes generated by a generator may be mixed with solid waste.
 - If a hazardous waste is mixed or diluted with a solid waste as part of a legitimate treatment process, it is permissible, and may also address LDR requirements. Example: adding acid to neutralize a corrosive waste.



Mixing, Diluting and Alteration of the Waste – Points to Remember



- However, <u>dilution</u> of waste as a substitute for adequate treatment or to otherwise circumvent the waste treatment requirements <u>is prohibited</u> by the LDR regulations (see 268.3)
- A hazardous waste *determination* must be made *before* mixing or alteration.
- Waste that is hazardous when generated but has been decharacterized may remain subject to the LDR waste treatment requirements (see 261.3(d)(1)).



31

Definition of Treatment 40 CFR 260.10

Any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or material resources from the waste, or so as to render such waste non-hazardous, or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume.









35





- <u>Used or Reused</u> a material is used or reused if it is either:
 - Employed as an ingredient in an industrial process to make a product; or
 - > Employed as an effective substitute for a commercial product

*Definitions*40 CFR 261.1(c)(4 & 5)



• <u>Reclaimed</u> – a material is reclaimed if it is processed to produce a usable product or if it is regenerated.





37

Secondary Material




To recycle under RCRA you must start with a secondary material.


- A <u>secondary material</u> is a material that is potentially a solid and hazardous waste when recycled. (January 4, 1985; 50 FR 616)
- A <u>hazardous secondary material</u> (e.g., spent material, by-product or sludge) that, when discarded, would be a <u>hazardous waste</u>.
 - Hazardous Secondary Material = "HSM"



38

Five Steps to Determine if you have a Solid Waste when RCRA Recycling Not a Solid Waste • 261.2 - Definition of a Solid Waste • 1s the secondary material a solid waste in Table 1, 261.2(c)? Exempt from Regulation • 261.2(e) - Recycling Exemption • 261.2(e) - Recycling Exemption Additional Criteria Does secondary material qualify for exemption? • 261.4(e) - Recycling Exemption Additional Criteria Does the secondary material meet the criteria? • 261.4(a) - Excluded from def. of solid waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(b) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste • 261.4(c) - Excluded from def. of hazardous waste





41

Step 1 Is Secondary Material a Solid Waste When <u>Recycled?</u>

- Table 1 in 261.2(c)
- Purpose of table solely to determine if material is a solid waste when recycled.
- The table is NOT to determine the applicable regulations for the recycling process.



Table 1 – 40 CFR 261.2(c) Determining When Recycled Materials are Solid Wastes

| | Use Constituting Disposal (261.2(c)(1)) | Energy Recovery/Fuel (261.2(c)(2)) | Reclamation (261.2(c)(3)) except as provided in 261.2(a)(2)(ii), 261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative Accumulation (261.2(c)(4)) |
|---|---|---------------------------------------|---|--|
| Spent Materials | Solid Waste | Solid Waste | Solid Waste | Solid Waste |
| | (*) | (*) | (*) | (*) |
| Sludges (listed in 261.31 or | Solid Waste | Solid Waste | Solid Waste | Solid Waste |
| 261.32) | (*) | (*) | (*) | (*) |
| Sludges exhibiting a | Solid Waste | Solid Waste | Not a Solid Waste | Solid Waste |
| characteristic of HW | (*) | (*) | | (*) |
| By-products (listed in 261.31 | Solid Waste | Solid Waste | Solid Waste | Solid Waste |
| or 261.32) | (*) | (*) | (*) | (*) |
| By-product exhibiting a | Solid Waste | Solid Waste | Not a Solid Waste | Solid Waste |
| characteristic of HW | (*) | (*) | | (*) |
| Commercial Chemical Products listed in 261.33 | Solid Waste (*) | Solid Waste (*) | Not a Solid Waste | Not a Solid Waste |
| Scrap metal that is not excluded under 261.4(a)(13) | Solid Waste (*) | Solid Waste (*) | Solid Waste (*) | Solid Waste |

43

*Definitions*40 CFR 261.1(c)(1)

Spent Material – any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing.

Examples:

- Spent solvents
- Spent acids
- Wastewater



DEQ

44

Definitions 40 CFR 261.1(c)(2) & N.C.G.S. 130A–290(a)(34) • Sludge – Any solid, semi–solid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility exclusive of the treated effluent from a wastewater treatment plant. • Can be listed or characteristic


Definitions 40 CFR 261.1(c)(3)

By-product – A material that is not one of the primary products of a production process and is not solely or separately produced by the production process

- By-products could be listed and/or characteristic
- Examples: process residues such as slags, distillation column bottoms
- The term does not include a Co-product.
 Co-product: Like a by-product produced in the main process, but in a form and grade than can be sold as it is produced.



46



47

Definitions 40 CFR 261.1(c)(6)

Scrap Metal – Bits and pieces of metal parts (e.g., bars, turnings, rods, sheets, wire) or metal pieces which may be combined together with bolts or soldering (e.g., radiators, scrap automobiles, railroad box cars), which when worn or superfluous can be recycled.

Definitions 40 CFR 261.4(a)(13)

- Excluded Scrap Metal Processed scrap metal, processed home scrap metal, and unprocessed prompt scrap metal being recycled.
- Definitions 40 CFR 261.1(c)(10 12)
- · Processed Scrap Metal
- Processed Home Scrap Metal
- Unprocessed Prompt Scrap Metal

49

Definitions 40 CFR 261.2(c)(1)

Use *in a Manner* **Constituting Disposal** means the material is placed directly onto the land or is used to produce materials that are placed on the land.

DEQ

50

*Definitions*40 CFR 261.2(c)(2)

- Burning for Energy Recovery: materials burned to recover energy are solid wastes when they are:
- Burned to recovery energy;
- Used to produce a fuel or are otherwise contained in fuels (in which case the fuel itself is a solid waste).
- Commercial chemical products listed in 261.33 are *not* a solid waste if they themselves are fuels or a normal component of fuel.

Definitions 40 CFR 261.1(c)(4)

Reclaimed – a material is reclaimed if it is processed to produce a usable product or if it is regenerated.

Examples:

- Regeneration (e.g., distillation) of spent solvents
- Regeneration of spent acids
- Recovery of metals from metal-bearing wastes



52

Definitions 40 CFR 261.1(c)(4)

Accumulated Speculatively means a hazardous secondary material is accumulated before being recycled. A material is <u>not</u> accumulated speculatively if:



>The person accumulating it can show that the material is potentially recyclable and has a feasible means of being recycled; and



➤ During the calendar year, January 1st - December 31st, the total amount of a material that is recycled, or transferred off site for recycling, must be 75 percent of the weight or volume of that material that was accumulated onsite on January 1st.



53

Example: Accumulated Speculatively 40 CFR 261.1(c)(8)

- · Hazardous Secondary Materials are generated and accumulated on site, waiting to be reclaimed.
- January 1, 2023

☐ 20 pounds of a *characteristic* **sludge** \square 100 pounds of a *characteristic* by-product

How much do you have to recycle or transfer to a different facility for recycling during the calendar year?



Answer

75% of $\underline{each\ material}$ of the $\underline{same\ type}$ (from the same process) that is $\underline{recycled\ in\ the\ same\ way}$

☐ 15 pounds (of the 20 pounds) of the characteristic sludge

 $\hfill \hfill \hfill$



55

Accumulated Speculatively 40 CFR 261.1(c)(8)

- Materials must be <u>placed in a storage unit</u> with a label indicating the <u>first</u> date.
- If placing a label on the storage unit is not practicable, the accumulation period must be documented through an <u>inventory log</u> or other appropriate method.
- Materials accumulating in units exempt from regulation under §261.4(c) not included in making the calculation.
- Materials that are already defined as solid wastes also are not to be included in making the calculation.



56

Accumulated Speculatively 40 CFR 261.1(c)(8)

How to get out of this category:

 Materials are no longer accumulated speculatively once they are removed from accumulation for recycling.



Example: Off-Spec Acetone


A chemical manufacturer produces a batch of off-specification acetone that they want to reclaim by distillation to recover solvents.


Is the acetone a solid waste?



58

DEQ





| | Un- | Lise _ Reclamation (§261.2(c)(3)), | | | | |
|---|--|---|---|--|--|--|
| | constituting disposal (§261.2(c)(1)) | Energy recovery/fuel (§261.2(c)(2)) | except as provided in §§261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative accumulation (§261.2(c)(4)) | | |
| Spent Materials | (*) | (*) | Solid Waste (*) | (*) | | |
| Sludges (listed in 40 CFR Part 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) | | |
| Studges exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste – | (*) | | |
| By-products (listed in 40 CFR 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) | | |
| By-products exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste – | (*) | | |
| Commercial chemical products listed in 40 CFR 261.33 | (*) | (*) | Not a Solid Waste | Not a Solid Waste – | | |
| Scrap metal that is not excluded under 40 CFR 261.4(a)(13) | (*) | (*) | Solid Waste | (*) | | |




I Have a Solid Waste, So Now What?



- 2. Qualify for one of the recycling exemptions?
- 3. Additional requirements for exemptions met?
- 4. Can it meet another exclusion?
- 5. Prescribed documentation kept?
- Requires going through back and forth through the regulations. (260.10, 261.2, 261.4, 261.6, 266 and 279)



64



65

Five Steps to Determine if you have a Solid Waste when RCRA Recycling

Next Step: Determine if the waste has an exemption

- 261.2(e) Recycling Exemption
 - Does secondary material qualify for exemption?



Step 2 Is the Material Exempt by Being Recycled? 40 CFR 261.2(e)

Materials are **not** solid waste if they are *recycled* by being:

- <u>Used or reused</u> as ingredients in an industrial process to make a product, provided that the materials are **not** being reclaimed
- <u>Used or reused</u> as effective substitutes for commercial products



67

Step 2 (continued) Is the Material Exempt by Being Recycled? 40 CFR 261.2(e)

Materials are $\underline{\mathbf{not}}$ solid waste if they are $\mathbf{\mathit{recycled}}$ by being:

- Returned to the original process from which they are generated, without first being reclaimed or land disposed.
- In cases where the original process to which the material is returned is a secondary process, the materials must be managed such that there is no placement on the land.



68

Five Steps to Determine if you have a Solid Waste when RCRA Recycling Not a Solid Waste - Is the secondary material a solid waste in Table 1, 261.2(c)? Exempt from 261.2(e) - Recycling Exemption Does secondary material qualify for exemption? 1 Is it Really 261.2(e)(2) - Recycling Exemption Additional Criteria Does the secondary material meet the criteria? - 261.4(a) - Excluded from def. of solid waste 261.4(b) - Excluded from def. of hazardous waste 261.4(b) - Excluded from Requirements for Recyclable Materials 261.4(b) - Excluded from def. of hazardous waste 261.4(

Step 3 Is the Material Exempt by Being Recycled? 40 CFR 261.2(e)(2)

Materials <u>remain</u> solid waste when *recycled* by being used, reused, or returned to the original process if this recycling includes:

- Used in a manner constituting disposal, or used to produce products that are applied to the land
- · Burned for energy recovery, or are fuels, or are in fuels
- · Accumulated speculatively (over 1 calendar year)
- Inherently waste-like (40 CFR 261.2(d))



70

Five Steps to Determine if you have a Solid Waste when RCRA Recycling Not a Solid Waste - Is the secondary material a solid waste in Table 1, 261.2(c)? Exempt from Pegulation - Does secondary material qualify for exemption? - 261.2(e) - Recycling Exemption - Does secondary material qualify for exemption? - 261.2(e)(2) - Recycling Exemption Additional Criteria - Does the secondary material meet the criteria? - 261.4(a) - Excluded from def. of solid waste - 261.4(b) - Excluded from def. of hazardous waste - 261.4 - Requirements for Recyclable Materials - 261.9 - Requirements for Universal Waste - 261.4(b) - Excluded from def. of hazardous waste - 261.9 - Requirements for Universal Waste - 261.9 - Requirements for Lipidinacy & Documentation Requirements - 261.2(f) - Documentation

71

Closed Loop Recycling with Reclamation 40 CFR 261.4(a)(8)

Secondary materials that are reclaimed and returned to original process(es) where they were generated where they are reused in the production process are not a solid waste provided:

- Only tank storage
- The entire process is closed, entirely connected with pipes or other comparable enclosed means of conveyance; (no outlet)
- Reclamation does not involve controlled flame combustion
 - Such as boilers, industrial furnaces, or incinerators
- The secondary materials are <u>never accumulated</u> in such tanks for <u>over twelve months</u> without being reclaimed; and
- The secondary material is <u>not used to produce a fuel</u> or used to produce products that are used in a <u>manner constituting disposal</u>.



Table 1 − 40 CFR 261.2(c) Determining whether Recycled Materials are Solid Wastes

| | Use constituting disposal (§261.2(c)(1)) | Energy recovery/fuel (§261.2(c)(2)) | Reclamation (§261.2(c)(3)), except as provided in §§261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative accumulation (§261.2(c)(4)) |
|---|---|---|--|--|
| Spent Materials | (*) | (*) | Solid Waste (*) | (*) |
| Sludges (listed in 40 CFR Part 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) |
| Sludges exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| By-products (listed in 40 CFR 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) |
| By-products exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| Commercial chemical products listed in 40 CFR 261.33 | (*) | (*) | Not a Solid Waste - | Not a Solid Waste |
| Scrap metal that is not excluded under 40 CFR 261.4(a)(13) | (*) | (*) | Solid Waste (*) | (*) |

Reclamation Exclusions

- · When all conditions of the exclusion are met, HSM (specifically spent material, listed byproducts, and listed sludges) that are legitimately reclaimed are not solid waste.
- If any of the conditions of the exclusion are $\underline{\mathsf{not}}$ met, the hazardous secondary material is considered a solid waste and discarded and the hazardous waste rules are again applicable.
- Does not include HSM that are burned for energy recovery or "use constituting disposal".



74

Reclamation Exclusions 40 CFR 261

- Subpart H Financial Assurance for Reclaimers and Intermediate Facilities (<u>Transfer</u>
- Subpart I Use and Management of Containers for the Remanufacturing Exclusion
- Subpart J Tank Systems for the Remanufacturing Exclusion
- Subpart M Emergency Preparedness and Response for the Management of Excluded Hazardous Secondary materials where hazardous secondary materials are generated or accumulated on site. (Generator Controlled Exclusion and Transfer Based Exclusion)
- Remanufacturing Exclusion
 Subpart AA Air Emission Standards for Process Vents

 - Subpart BB Air Emission Standards for Equipment Leaks
 Subpart CC Air Emission Standards for Tanks and Containers



Step 4 (continued) Special Management Standards When Recycled

- Precious metals recovery 40 CFR 266 Subpart F
- Spent lead-acid batteries reclaimed 40 CFR 266 Subpart G
- Reclaimed industrial ethyl alcohol 40 CFR 261.6(a)(3)(i)





76

Step 4 (continued) Special Management Standards When Recycled

- Scrap metal reclamation
 40 CFR 261.6(a)(3)(ii)
- Used Oil
- 40 CFR 261.6(a)(4) and 40 CFR 279
- · Universal Waste
 - 40 CFR 261.9 and 40 CFR 273







Step 5 Legitimacy and Documentation

Any Recycling Activity must meet the <u>Legitimacy Factors</u> of 260.43(a)

- Provide a useful contribution to the recycling process or to a product or intermediate of the recycling process
- (2) Produce a valuable product or intermediate
- (3) Manage the hazardous secondary material as a valuable commodity when it is under their control.




80

Step 5 (continued) Legitimacy and Documentation

Any Recycling Activity must meet the Legitimacy Factors of 260.43(b) Must **evaluate** all factors and consider overall legitimacy of a specific recycling activity


- (1) The product of recycling does not:
- (i) Contain significant concentrations of any hazardous constituents from Appendix VIII not in analogous products
- (i) Contain concentrations of hazardous constituents at levels significantly elevated from those found in analogous products
- (i) Exhibit a hazardous characteristic that analogous products do not exhibit











Question: Waste Acid

Spent sulfuric acid from a chemical manufacturing process is used to produce fertilizer that is sold to the general public.

What is the status of the spent acid?



86

${\it Table~1-40~CFR~261.2(c)} \\ {\it Table~for~Determining~whether~Recycled~Materials~are~Solid~Wastes} \\$

| | Use constituting disposal (§261.2(c)(1)) | Energy recovery/fuel (§261.2(c)(2)) | Reclamation (§261.2(c)(3)), except as provided in §§261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative accumulation (§261.2(c)(4)) |
|---|---|---|--|--|
| Spent Materials | (") | (*) | (*) | (*) |
| Sludges (listed in 40 CFR Part 261.31 or 261.32) | (1) | (*) | (C) | (*) |
| Sludges exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| By-products (listed in 40 CFR 261.31 or 261.32) | (*) | (*) | (*) | (*) |
| By-products exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| Commercial chemical products listed in 40 CFR 261.33 | (*) | (*) | Not a Solid Waste - | Not a Solid Waste – |
| Scrap metal that is not excluded under 40 CFR 261.4(a)(13) | (*) | (*) | (*) | (*) |

Question: Scrap Metal

Scrap metal exhibits the toxicity characteristic for lead (D008).

A facility sends the scrap metal to a reclamation facility.

How should this material be managed?





88

Table 1 – 40 CFR 261.2(c) Table for Determining whether Recycled Materials are Solid Wastes

| | Use constituting disposal (§261.2(c)(1)) | Energy recovery/fuel (§261.2(c)(2)) | Reclamation (§261.2(c)(3)), except as provided in §§261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative accumulation (§261.2(c)(4)) |
|---|---|---|--|--|
| Spent Materials | (*) | (*) | (*) | (*) |
| Sludges (listed in 40 CFR Part 261.31 or 261.32) | (*) | (*) | (n) | (*) |
| Sludges exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| By-products (listed in 40 CFR 261.31 or 261.32) | (*) | (*) | (*) | (*) |
| By-products exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste _ | (*) |
| Commercial chemical products listed in 40 CFR 261.33 | (*) | (*) | Not a Solid Waste | Not a Solid Waste - |
| Scrap metal that is not excluded under 40 CFR 261.4(a)(13) | (*) | (*) | | (*) |







92




Question: Laboratory Chemicals

- A cabinet with old dusty containers.
- Past expiration dates
- No expiration date but old and no longer going to be used.
- Are the reagents solid waste?

Table 1 – 40 CFR 261.2(c) Determining whether Recycled Materials are Solid Wastes

| | Use constituting disposal (§261.2(c)(1)) | Energy recovery/fuel (§261.2(c)(2)) | Reclamation (§261.2(c)(3)), except as provided in §§261.4(a)(17), 261.4(a)(23), 261.4(a)(24) or 261.4(a)(27) | Speculative accumulation (§261.2(c)(4)) |
|---|---|---|--|--|
| Spent Materials | (1) | (*) | Solid Waste (*) | (*) |
| Sludges (listed in 40 CFR Part 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) |
| Sludges exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste - | (*) |
| By-products (listed in 40 CFR 261.31 or 261.32) | (*) | (*) | Solid Waste (*) | (*) |
| By-products exhibiting a characteristic of hazardous waste | (*) | (*) | Not a Solid Waste _ | (*) |
| Commercial chemical products listed in 40 CFR 261.33 | (*) | (*) | Not a Solid Waste | Not a Solid Waste - |
| Scrap metal that is not excluded under 40 CFR 261.4(a)(13) | (*) | (*) | Solid Waste (*) | (*) |









98

Image Credits:

All photos in the presentation were selected from NC DEQ inspection archived photos or from the Stock Images and Design Themes provided within MS PowerPoint.